

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"6560633".pn.	US-PGPUB; USPAT	OR	ON	2006/08/07 09:13
S2	1	xml and ((pre-generat\$5 pregenerat\$5 prior) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj service) wsa)) and @ad<"20000509"	US-PGPUB; USPAT	OR	ON	2006/08/07 11:23
S3	1	((pre-generat\$5 pregenerat\$5 prior) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj service) wsa)) and @ad<"20000509"	US-PGPUB; USPAT	OR	ON	2006/08/07 11:24
S4	29	((pre-generat\$5 pregenerat\$5 prior) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application) wsa plug\$5))) and @ad<"20000509"	US-PGPUB; USPAT	OR	ON	2006/08/07 11:25
S5	29	((pre-generat\$5 pregenerat\$5 prior) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509"	US-PGPUB; USPAT	OR	ON	2006/08/07 11:30
S6	20	((pre-generat\$5 pregenerat\$5 prior before) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not S5	US-PGPUB; USPAT	OR	ON	2006/08/07 13:21
S7	29	((pre-generat\$5 pregenerat\$5 prior) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509"	US-PGPUB; USPAT	OR	ON	2006/08/07 13:21

EAST Search History

S8	20	((pre-generat\$5 pregenerat\$5 prior before) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not S7	US-PGPUB; USPAT	OR	ON	2006/08/07 13:21
S11	5	((pre-generat\$5 pregenerat\$5 prior before) near9 (install\$5 runtime run-time (execution adj time))).ab. and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S7 S8) and \$3generat\$5	US-PGPUB; USPAT	OR	ON	2006/08/07 13:23
S12	82	((pre-generat\$5 pregenerat\$5 prior before) near9 (install\$5 runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S7 S8) and \$3generat\$5 and built-in	US-PGPUB; USPAT	OR	ON	2006/08/07 13:54
S13	1	((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S7 S8 S12) and (built-in near9 template)	US-PGPUB; USPAT	OR	ON	2006/08/07 16:30
S14	108	((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S7 S8 S12) and (built-in near9 (template interface gui))	US-PGPUB; USPAT	OR	ON	2006/08/07 13:55
S15	3	((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S7 S8 S12) and ((pre-\$5 built-in) near9 template)	US-PGPUB; USPAT	OR	ON	2006/08/07 14:13
S16	3	((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S7 S8 S12 S14) and ((pre-\$5 built-in) near9 (api template))	US-PGPUB; USPAT	OR	ON	2006/08/07 14:16

EAST Search History

S17	3	((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S7 S8 S12 S14) and ((pre-\$5 built-in) near9 (api template schema))	US-PGPUB; USPAT	OR	ON	2006/08/07 14:16
S18	3	((interface template gui schema) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S7 S8 S12 S14) and ((pre-\$5 built-in) near9 (api template schema))	US-PGPUB; USPAT	OR	ON	2006/08/07 14:16
S19	3	((interface template gui schema ddl) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S7 S8 S12 S14) and ((pre-\$5 built-in) near9 (api template schema ddl))	US-PGPUB; USPAT	OR	ON	2006/08/08 10:07
S20	39	((interface template gui schema ddl) near9 ((web adj (service application)) wsa plug\$5)) not (S7 S8 S12 S14) and ((pre-\$5 built-in) near9 (api template schema ddl)) and provisional	US-PGPUB; USPAT	OR	ON	2006/08/07 14:18
S21	29	((pre-generat\$5 pregenerat\$5 prior) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509"	US-PGPUB; USPAT	OR	ON	2006/08/07 16:30
S22	20	((pre-generat\$5 pregenerat\$5 prior before) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not S21	US-PGPUB; USPAT	OR	ON	2006/08/07 16:30
S23	82	((pre-generat\$5 pregenerat\$5 prior before) near9 (install\$5 runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S21 S22) and \$3generat\$5 and built-in	US-PGPUB; USPAT	OR	ON	2006/08/07 16:30

EAST Search History

S24	7	((interface template gui adaptor schema) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S21 S22 S23) and (built-in near9 (template adaptor schema))	US-PGPUB; USPAT	OR	ON	2006/08/07 16:31
S25	137	((interface template gui adaptor schema connector)) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S21 S22 S23 S24) and (built-in near9 (template adaptor schema connector))	US-PGPUB; USPAT	OR	ON	2006/08/07 16:31
S26	1	((interface template gui adaptor schema connector)) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S21 S22 S23 S24) and (built-in near9 (template adaptor schema connector)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2006/08/07 16:32
S27	0	((interface template gui adaptor schema connector)) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S21 S22 S23 S24) and (built-in near9 (template adaptor schema connector)) and xml	US-PGPUB; USPAT	OR	ON	2006/08/07 16:32
S28	0	((interface template gui adaptor schema connector)) near9 ((web\$4 adj2 (service application)) wsa plug\$5)) and @ad<"20000509" not (S21 S22 S23 S24) and (built-in near9 (template adaptor schema connector)) and xml	US-PGPUB; USPAT	OR	ON	2006/08/07 16:32
S29	0	((interface template gui adaptor schema connector)) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" not (S21 S22 S23 S24) and (built-in near9 (template adaptor schema connector)) and xml	US-PGPUB; USPAT	OR	ON	2006/08/07 16:33

EAST Search History

S30	1	((interface template gui adaptor schema connector) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" not (S21 S22 S23 S24) and ((pre-\$6 built-in) near9 (template adaptor schema connector)) and xml	US-PGPUB; USPAT	OR	ON	2006/08/10 09:05
S31	2	((interface template gui adaptor schema connector) same ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" not (S21 S22 S23 S24) and ((pre-\$6 built-in) near9 (template adaptor schema connector)) and xml	US-PGPUB; USPAT	OR	ON	2006/08/07 16:36
S32	81	((interface template gui adaptor schema connector) same ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) not (S21 S22 S23 S24) and ((pre-\$6 built-in) near9 (template adaptor schema connector)) and xml and provisional	US-PGPUB; USPAT	OR	ON	2006/08/07 16:45
S33	8	((interface template gui adaptor schema connector) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" not (S21 S22 S23 S24 S32) and ((pre-\$6 built-in) near9 (interface template adaptor schema connector)) and xml	US-PGPUB; USPAT	OR	ON	2006/08/07 16:47
S35	55	((interface template gui adaptor schema connector) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" not (S21 S22 S23 S24 S32 S33) and ((pre-\$6 built-in) near9 (interface template adaptor schema connector method function)).ab.	US-PGPUB; USPAT	OR	ON	2006/08/07 16:49
S36	1	((interface template gui adaptor schema connector) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" not (S21 S22 S23 S24 S32 S33) and ((pre-\$6 built-in) near9 (interface template adaptor schema connector method function)).ab. and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/08/07 16:48

EAST Search History

S37	81	((interface template gui adaptor schema connector) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" not (S21 S22 S23 S24 S32 S33) and ((pre-\$6 built-in) near9 (interface template adaptor schema connector method function)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/08/07 16:54
S38	5	((interface template gui adaptor schema connector) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" not (S21 S22 S23 S24 S32 S33) and ((pre-\$6 built-in) near9 (interface template adaptor schema connector method function)) and "709".clas. and schema	US-PGPUB; USPAT	OR	ON	2006/08/07 16:50
S39	59	((interface template gui adaptor schema connector) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" and ((pre-\$6 built-in) near9 (interface template adaptor schema connector method function)) and (authenti\$5 credential)	US-PGPUB; USPAT	OR	ON	2006/08/07 16:55
S40	123	((interface template gui adaptor schema connector) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" and ((pre-\$6 built-in) near9 (interface template adaptor schema connector method function)) and (authenti\$5 credential authori\$5)	US-PGPUB; USPAT	OR	ON	2006/08/07 16:55
S41	50	((interface template gui adaptor schema connector) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" and ((pre-\$6 built-in) near9 (interface template adaptor schema connector method function)) and ((authenti\$5 credential authori\$5) near9 access)	US-PGPUB; USPAT	OR	ON	2006/08/07 17:14

EAST Search History

S44	68	((interface template gui adaptor schema connector) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" not S41 and ((authenti\$5 credential authori\$5) near9 access) and (service near9 advertis\$5)	US-PGPUB; USPAT	OR	ON	2006/08/07 16:58
S45	52	@ad<"20000509" and ((pre-\$6 built-in) near9 (interface template adaptor schema connector method function)) and xml	US-PGPUB; USPAT	OR	ON	2006/08/07 17:10
S46	171	@ad<"20000509" and ((pre-\$6 built-in embedded) near9 (interface template adaptor schema connector method function)) and xml not S45	US-PGPUB; USPAT	OR	ON	2006/08/07 17:11
S47	62	@ad<"20000509" and ((pre-\$6 built-in embedded) near9 (interface template adaptor schema connector method function)) and xml and schema not S45	US-PGPUB; USPAT	OR	ON	2006/08/07 17:11
S48	39	((access) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509" and ((pre-\$6 built-in) near9 (interface template adaptor schema connector method function)) and ((authenti\$5 credential authori\$5) near9 access)	US-PGPUB; USPAT	OR	ON	2006/08/08 08:32
S49	1	(((authenticat\$5 authori\$5 access) adj control) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)).ab. and @ad<"20000509"	US-PGPUB; USPAT	OR	ON	2006/08/08 08:33
S50	89	(((authenticat\$5 authori\$5 access) adj control) near9 ((web\$4 adj2 (service application)) wsa plug\$5 servlet applet)) and @ad<"20000509"	US-PGPUB; USPAT	OR	ON	2006/08/08 08:34
S51	61	((interface template gui schema ddl) near9 (distributed)) and @ad<"20000509" and ((pre-\$5 built-in) near9 (api interface gui template schema ddl))	US-PGPUB; USPAT	OR	ON	2006/08/08 10:08

EAST Search History

S52	29	((pre-generat\$5 pregenerat\$5 prior) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509"	US-PGPUB; USPAT	OR	ON	2006/08/10 09:06
S53	20	((pre-generat\$5 pregenerat\$5 prior before) near9 (runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not S52	US-PGPUB; USPAT	OR	ON	2006/08/10 09:06
S54	83	((pre-generat\$5 pregenerat\$5 prior before) near9 (install\$5 runtime run-time (execution adj time))) and ((interface template gui) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S52 S53) and \$3generat\$5 and built-in	US-PGPUB; USPAT	OR	ON	2006/08/10 09:06
S55	7	((interface template gui adaptor schema) near9 ((web adj (service application)) wsa plug\$5)) and @ad<"20000509" not (S52 S53 S54) and (built-in near9 (template adaptor schema))	US-PGPUB; USPAT	OR	ON	2006/08/10 09:06
S56	4	((interface template gui adaptor schema connector) near9 (((java web\$4 internet) near2 (service application)) ASP wsa plug\$5 servlet applet)) and @ad<"20000509" not (S52 S53 S54 S55) and ((pre-\$6 built-in) near9 (template adaptor schema connector)) and xml	US-PGPUB; USPAT	OR	ON	2006/08/10 09:08
S57	60	((interface template gui adaptor schema connector) near9 (((java web\$4 internet) near2 (service application)) ASP wsa plug\$5 servlet applet)) not (S52 S53 S54 S55 S56) and ((pre-\$6 built-in) near9 (template adaptor schema connector)) and xml and provisional	US-PGPUB; USPAT	OR	ON	2006/08/10 09:15

EAST Search History

S58	85	((interface template gui adaptor schema connector) near9 (((java web\$4 internet) near2 (service application)) ASP wsa plug\$5 servlet applet)) not (S52 S53 S54 S55 S56 S57) and ((pre-\$6 built-in) near9 (template adaptor schema connector interface api plug socket)) and xml and provisional	US-PGPUB; USPAT	OR	ON	2006/08/10 09:15
S59	26	((interface template gui adaptor schema connector socket) near9 (((java web\$4 internet) near2 (service application)) ASP wsa plug\$5 servlet applet)) not (S52 S53 S54 S55 S56 S57) and ((pre-\$6 built-in) near9 (template gui adaptor schema connector interface api plug socket)) and xml and provisional and ("709" "717").clas.	US-PGPUB; USPAT	OR	ON	2006/08/10 09:24
S60	28	((interface template gui adaptor schema connector socket) near9 (((java web\$4 internet) near2 (service application)) ASP wsa plug\$5 servlet applet)) not (S52 S53 S54 S55 S56 S57 S59) and ((pre-\$6 built-in) near9 (template gui adaptor schema connector interface api plug socket)) and xml and ("709" "717").clas. and @ad<"20000509"	US-PGPUB; USPAT	OR	ON	2006/08/10 09:25